

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name N192 ROOF & GUTTER 100% NEUTRAL CURE SILICONE

Synonym(s) 1A105600 - ROOF & GUTTER ALUMINIUM, 300GM CARTRIDGE • 1A105620 - ROOF & GUTTER BLACK,

300GM CARTRIDGE • 1A105640 - ROOF & GUTTER GREY, 300GM CARTRIDGE • 1A105660 - ROOF & GUTTER TRANSLUCENT, 300GM CARTRIDGE • 1A105680 - ROOF & GUTTER TRANSLUCENT, 300GM

SAUSAGE • 1A105700 - ROOF & GUTTER WHITE, 300GM CARTRIDGE

1.2 Uses and uses advised against

Use(s) GENERAL PURPOSE SILICONE SEALANT

1.3 Details of the supplier of the product

Supplier name ADMIL ADHESIVES PTY LTD

Address 80-84 Peters Ave, Mulgrave VIC 3170, AUSTRALIA

Telephone +61 3 8544 6200

Emailsupport@silicone.com.auWebsitewww.silicone.com.au

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

GHS classification(s) Skin Sensitisation: Category 1

Serious Eye Damage / Eye Irritation: Category 2A

2.2 Label elements

 $\langle ! \rangle$

Signal word WARNING Pictogram(s)

Hazard statement(s)

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation. Prevention

statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

Page 1 of 8 Version No: 5

PRODUCT NAME ROOF & GUTTER N192 100% NEUTRAL CURE SILICONE

Response statement(s)

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P321 Specific treatment is advised - see first aid instructions.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage statement(s)
None allocated.
Disposal statement(s)

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards No

information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
ADDITIVE(S)	-	-	Remainder
METHYL ETHYL KETOXIME	96-29-7	202-496-6	<1%
N-(3-(TRIMETHOXYSILYL)PROPYL)ETHYLENEDIAMINE	1760-24-3	217-164-6	<1%
OCTAMETHYLCYCLOTETRASILOXANE	556-67-2	209-136-7	<0.2%
METHYLTRI(ETHYLMETHYLKETOXIME)SILANE	22984-54-9	245-366-4	1 to 3%
VINYLTRI(METHYLETHYLKETOXIME)SILANE	2224-33-1	218-747-8	<1%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop

by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed Treat

symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

Page 2 of 8 Version No: 5

PRODUCT NAME ROOF & GUTTER N192 100% NEUTRAL CURE SILICONE

5.2 Special hazards arising from the substance or mixture

May evolve nitrogen oxides and formaldehyde when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas.

5.4 Hazchem code None

allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Wear Personal

Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible. Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate fire protection systems.

7.3 Specific end use(s) No

information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

No exposure standards have been entered for this product.

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

ROOF & GUTTER N192 100% NEUTRAL CURE SILICONE PRODUCT NAME

PPF

Eye / Face Wear splash-proof goggles.

Hands Wear PVC or rubber gloves. With prolonged use, wear viton (R) gloves.

Body With prolonged use, wear coveralls.

Respiratory Where an inhalation risk exists, wear a Type A (Organic vapour) respirator.





9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance PASTE

Odour OXIME ODOUR **Flammability** COMBUSTIBLE Flash point 96°C (cc)

Boiling point NOT AVAILABLE **Melting point** NOT AVAILABLE **Evaporation rate** < 1 (Butyl acetate = 1) рΗ **NOT AVAILABLE**

Vapour density > 1 (Air = 1)

Specific gravity 1.03

Solubility (water) **INSOLUBLE** Vapour pressure **NOT AVAILABLE** Upper explosion limit **NOT AVAILABLE** Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE** Autoignition temperature **NOT AVAILABLE Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE** Odour threshold **NOT AVAILABLE**

10. STABILITY AND REACTIVITY

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Methyl ethyl ketoxime may be formed during curing.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid exposure to moisture.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources. Incompatible with water or moisture.

10.6 Hazardous decomposition products

May evolve nitrogen oxides and formaldehyde when heated to decomposition.

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Information available for the product:

Based on available data, the classification criteria are not met. Information

available for the ingredient(s):

Ingredient	Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
METHYL ETHYL KETOXIME	930 mg/kg (rat)	200 uL/kg (rabbit)	
N-(3- (TRIMETHOXYSILYL)PROPYL)ETHYLENED IAMINE	7460 mg/kg (rat)		
OCTAMETHYLCYCLOTETRASILOXANE	1540 mg/kg (rat)	1770 mg/kg (rat)	

Skin Contact may result in irritation, redness, rash and dermatitis.

Eye Contact may result in irritation, lacrimation, pain and redness.

Sensitisation May cause an allergic skin reaction. This product is not classified as a respiratory sensitiser.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen. Methyl ethyl ketoxime may be evolved during curing or upon contact with water.

Methyl ethyl ketoxime is suspected of causing cancer.

Reproductive Not classified as a reproductive toxin.

STOT – single exposure

Over exposure to vapours may result in irritation of the nose and throat, coughing, nausea and headache.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Aspiration Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability No

information provided.

12.3 Bioaccumulative potential No

information provided.

12.4 Mobility in soil No information

provided.

12.5 Other adverse effects No

information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. For large quantities, contact the manufacturer/supplier for additional information. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result. **Legislation** Dispose of in accordance with relevant local legislation.

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

Page 5 of 8 Version No: 5

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport Hazard Class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No

information provided

14.6 Special precautions for user Hazchem

code: None Allocated

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling

of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous

Substances [NOHSC: 1008(2004)].

Hazard codes Xi Irritant

Risk phrases R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

Safety phrases S13 Keep away from food, drink and animal feeding stuffs.

S23 Do not breathe gas/fumes/vapour/spray (where applicable).

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All

components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information SILICONE SEALANTS: Toxic vapours released upon curing may result in eye and respiratory tract irritation. A hazard exists when high concentrations are generated in poorly ventilated areas. Once curing is

complete, irritating or toxic vapours should no longer be evolved and therefore an inhalation hazard is no longer anticipated. In this cured state the sealant is considered inert and relatively non toxic.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

Page 6 of 8 Version No: 5

ROOF & GUTTER N192 100% NEUTRAL CURE SILICONE PRODUCT NAME

for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

> Chemical Abstract Service number - used to uniquely identify chemical compounds CAS#

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide **IARC** International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose mg/m3 Milligrams per Cubic Metre OEL

Occupational Exposure Limit

relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly pΗ maa

alkaline).Parts Per Million STEL Short-Term Exposure Limit

> STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia TLV Threshold Limit Value **TWA** Time Weighted Average

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

Revision information

Product and Company identification

Composition/Information on Ingredients : Additional Components Physical & Chemical Properties : Multiple Properties : Toxicological Data Toxicological Information **Ecological Information** : Eco Toxicity

: Regulatory Inventories Regulatory Information : International Inventories Haz Reg Data

GHS : Classification Reason for issue : GHS Update

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016

ROOF & GUTTER N192 100% NEUTRAL CURE SILICONE PRODUCT NAME

: Supplier material safety data sheets References

: Version No. 5 Version : Version No. 4 Previous issue

- End of Safety Data Sheet -

Issued by: Admil Adhesives Pty Ltd SDS Date: 30 Nov 2016 Page 8 of 8

Version No: 5